

NRV 240-11 NSR 240-11 IRV 470-11 /R 370-11


NRV 370-11 NRV 240-11 (110 Volt) NRV 380-11 NRV 370-11 (110 Volt)




# NA1 - NS1 - AS0 - AH29








# Cleaning










EVR 370-11 Only Cleaning the Tool Head










# Fitting the Face







# Removing the Face







# Wand docking / Tool Tidy





# 470 Handle Fitting





•	1 -
	16

Data									
		1	2	3	4	į	5		6
NRV/NSR 2 NRV 370 NRV 380 NRV 470	)	9 L 15 L 15 L 27 L	31.8 m	9.0 kg 9.1 kg 9.1 kg 11.6 kg	LpA ≤ 70 dB(A)	Cla	ss II	360 mm x 370 mm x 415 mm 360 mm x 370 mm x 510 mm 355 mm x 355 mm x 485 mm 358 mm x 450 mm x 710 mm	
EVR 370	)	15 L	26.8 m	9.1 kg				360 mm x 370 mm x 510 mm	
1		2		3	4			5	6
Drum Size		eaning Range	(Re	eight ady to ork)	Sound Press	ure	Protection Class		Dimensions

## Replacement parts

TriTex Filter				
604165	TriTex-Filter			
HepaFlo Bags				
604015	NVM 1CH (Pack of 10) 240 Drum Size			
604016	NVM 2BH (Pack of 10) 370 / 380 Drum Size			
604018	NVM 3AH (Pack of 10) 470 Drum Size			

#### Rating Label

1	Company Name & Address
2	Model
3	Voltage / Alternating Current
4	Frequency
5	Rated Input Power
6	Weight
7	WEEE Logo
8	Protection Class 2 Symbol
9	Approval Mark

### About your machine (GB) 1.1



**Maintenance** 

#### Daily

Keep the machine clean, including hoses and tubes.

Ensure the bag and filter are fitted.

Machine yr/wk Serial Number

Regularly examine the power cord.

Check dust bag frequently.

Check filters are clean.

#### Weekly - as daily and:-

Check for any worn or damaged parts and replace immediately.

#### WEEE Legislation (Waste, Electrical and Electronic Equipment)

Vacuum cleaner, accessories and packaging should be sorted for environmentally - friendly recycling.

#### (Only for UK/EU Countries)

Do not dispose of vacuum cleaner into household waste! According to the European Directive 2012/19/EU on waste electrical and electronic equipment and its incorporation into national law.

Vacuum cleaners that are no longer suitable for use must be separately collected and sent for recovery in an environmentally - friendly manner.



#### PPE (personal protective equipment). That may be required for certain operations.









Safety Gloves





Safety Footwear





00000

Eye Protection

Protective Clothing

Dust / Allergens Protection

Hi Viz Jacket

Caution Floor Sign

NOTE: A risk assessment should be conducted to determine which PPE should be worn.

Failure to rectify the problem or in the event of a breakdown contact your Numatic dealer or the Numatic Technical helpline +44 (0)1460 269268

#### Safety Critical Components

Mains leads: (220-240 Volt) HO5-V2V2-F 12.5m x 2 Core x 0.75 mm² (220-240 Volt) HO5-V2V2-F 12.5m x 2 Core x 1.00 mm²

(110 Volt) HO5-V2V2-F 10m x 2 Core x 1.50 mm2 Yellow Cable + Industrial Plug



#### Information for DRY use Vacuum cleaners 1.1

#### WARNING

Read the instruction manual before using the machine.

Operators shall be adequately instructed on the use of their machine.

As with all electrical equipment, care and attention must be exercised at all times during use, in addition to ensuring that routine and preventative maintenance is carried out periodically to ensure safe operation.

Failure to carry out maintenance as necessary, including the replacement of parts to the correct standard could render this equipment unsafe and the manufacturer can accept no responsibility in this respect.

Maintenance should only be carried out by a qualified person.

This machine is for DRY USE only and must not be stored outside or used in wet conditions.

The machine shall be disconnected from the mains by removing the plug from the supply socket during cleaning or maintenance and when replacing parts or converting the machine to another function.

Only use the socket outlet on the machine for purposes specified in the instructions (if fitted).

This machine is not to be used by children or persons with reduced physical, sensory or mental capabilities, or lack of experience or knowledge.

This appliance is intended to be cleaned and maintained by an adult.

Children being supervised are not to play with the machine.

This machine is not a tov.

This machine is not suitable for picking up hazardous or explosive dust.

Contact your local distributor if you require a machine capable of performing these tasks.

#### CAUTION

Ensure that the filtration system fitted to the machine is suitable for the material being collected.

This vacuum cleaner is intended for indoor use in the collection of dry materials.

This machine should be stored indoors only.

#### **NOTES**

The primary use for this machine is commercial, for example in hotels, schools, hospitals, factories, shops and offices. This product complies with the requirements of clause 20 of IEC/EN 60335-2-69 Stability and Mechanical Hazards. This vacuum cleaner is fitted with a thermal protection device. If the vacuum cleaner stops working, remove the plug

from the wall before investigating where the fault lies.

If the vacuum cleaner has a blockage, switch off, remove the plug from the socket, inspect the floor tool, tubes and hose

if the vacuum cleaner has a blockage, switch off, remove the plug from the socket, inspect the floor tool, tubes and nose for debris. If the floor tool, tubes and hose are clear, replace the dust bag and clean the filter.

The vacuum cleaner should be inspected after use for damage.

The vacuum cleaner should be stored in a dry place.

When moving from one place to another, consider the weight of the machine.

#### DO

- Keep your machine clean including hoses and tubes.
- · Change dust bag frequently.
- · Keep filters clean.
- · Keep diffuser filter (where fitted) clean.
- Use filter bags, they will enhance performance and help keep machine clean.
- Use a Numatic Original filter bag under fine dust conditions.
- Keep hoses and tubes clear.
  - Replace any worn or damaged parts immediately.
- · Only use the brushes provided with the machine. The use of other brushes may impair safety.
- Regularly examine the power cord. If damage is found such as cracking or ageing the power cord must be replaced by a qualified person.
- Only replace the power cord with the correct Numatic approved replacement part.

#### DO NOT

- Pull on the cable to unplug the machine from the power supply.
- Use to suck up hot ashes or lighted cigarette ends.
- Use steam cleaners or pressure washers to clean the machine or use in the rain.
- Immerse in water for cleaning.
- Attempt machine maintenance or cleaning unless the power supply plug has been removed from the supply outlet.
- Use in wet environments or to collect wet materials.
- Under any circumstances place foreign objects including (but not limited to) air fresheners, air freshener capsules
  or scented beads of any type into the top filter of the machine. Doing so can be dangerous and risk damage to the
  machine and may invalidate the machine warranty.

# Schematic Diagram ATT TO STATE OF 604015 240 Drum HepaFlo Dust Bags (Pack of 10) NVM-1CH 604016 370/380 Drum HepaFlo Dust Bags (Pack of 10) NVM-2BH For best performance make sure you use genuine Numatic bags **Notes**

EU, EC, EL, UE, ES: Declaration of Conformity Prohlášeni o shodě Konformitätserklärung Overensstemmelseserklæring Declaración de conformidad Vastavusdeklaratsioon Déclaration de conformité Декларация за съответствие Δήλωση συμμόρφωσης Megfelelőségi nyilatkozat Dichiarazione di conformità Attikties deklaracija Conformitellsverklaring Samsvarserklaring Declaração de conformidade Deklaracja zgodności
Declaratie de conformitate
Декларация о соответствии
Faskran om överensstärnmelse
Izjava o skladnosti
Vaatimustenmukaisuusvakuutus

Manufacturer: / Výrobce / Hersteller / Fabrikant / Fabricante / Tootja / Fabricant / προυιβορμπεπ» / Κατασκευαστής / Gyártó / Fabricante / Gamintojas / Fabrikant / Produsent / Fabricante / Producent / Producent / Tilherkare / Producent / Valmistaja:

Numatic International Limited Chard Somerset

TA20 2G8 www.numatic.co.uk



Product: / Produkt / Produkt / Produkt / Producto, Toodet, Produit / Προχιγκτ / Προϊόν / Termék / Produtto / Produktas / Artikel / Produkt / Productos / Produkt / Produs / τοιιαρ / Produkt / Izdelka / Tuote: HVR, HVN, NVR, NSR, VNR, HET, NRV, EVR, HVX, HMR, HHR, HVC, HEC, HEP, HRP, HDK, HLX, PET, PEH, HRR, HVT, PCH, HPC

Description: / Popis / Beschreibung / Beskrivelse / Descripción / Kirjeldus / La description / Onucaune / Периурафі / Leirás / Descrizione / Apibudinimas / Omschrijving / Beskrivelse / Descrição / Opis / Descriere / Описание / Beskrivning / Opis / Kuvaus: Vacuum Cleaner - Commercial - Dry

GB We, Numatic hereby declare under our sole responsibility, that the abovementioned product(s) is/are in conformity with the following directives and standards.

CZ My, Numatic prohlašujeme na svou výlučnou odpovědnost, že výše uvedený výrobek je ve shodě s následujícími směrnicemi a normani.

DE Wir, Numatic erklären in alleiniger Verantwortung, dass das oben genannte Produkt den folgenden Richtlinien und Normen entspricht.

DK vi, Numatic erklærer hermed under eget ansvar at ovennævnte produkt(er) er i overensstemmelse med følgende direktiver og standarder.

ES Nosotros, Numatic declaramos bajo nuestra única responsabilidad que el producto antes mencionado está en conformidad con las siguientes directivas y normas

EE Meie, Numatic Käesolevaga kinnitame ja kanname ainuisikulist vastutust, et eespool nimetatud toode on kooskõlas järgmiste direktiivide ja

FR Numatic déclare sous notre seule résponsabilité que le produit mentionné cidessus est conforme aux directives et normes suivantes. BG ние, Numatic C настоящото декларираме на сеоя линия отговорност, че посочените по-горе продуктыт е в съответствие със следните директивн и стандаюти.

GR Εμείς, Numatic δηλώνσυμε με αποκλειστική μας ευθύνη, ότι το πρασυναφερόμενο προύον συμμορφώνεται με τις ακόλουθες οδηγίες και πρότυπα.

HU Mi, Numatic Kijelentjük, egyedüli felelősséggel, hogy a fent említett termék megfelel az aláltóli írányelveknek és szatványoknak

IT Noi, Numatic dichiara sotto la propria responsabilità, che il prodotto di cui sopra è conforme alle seguenti direttive e norme.

LT Mes, "Numatic pareiškiu vienašališkos atsakomybės, kad pirmiau minėtas produktas atitinka šias direktyvas ir standartus

NL We verklaren Numatic hierbij op eigen verantwoordelijkheid, dat het bovengenoemde product voldoet aan de volgende richtlijnen en normen

NO vi, Numatic erklærer herved under eget ansvar, at det ovennevnte produktet er i sansvar med følgende direktiver og standarder PT Nós, a Numatic declaramos, sob nossa exclusiva responsabilidade, que o produto acima mencionado está em conformidade com as diretrizes e normas a seguir.

PL My, Numatic Niniejszym oświadczamy z pełną odpowiedzialnością, że wyżej wymieniony produkt jest zgodny z następującymi dyrektywami i normami.

RO Noi, Numatic Prin prezenta declarăm pe propria răspundere, că produsul mai sus menționat este în conformitate cu următoarele standarde și directive.

RU Ми, Нилфиск овим изјављујем под пуном одговорношћу, да наведеног производ је у силаду са следећим директивама и стандардима.

SE vi Numatic forklarar harmed under eget ansvar att ovan nämnda produkt overensstämmer med följande direktiv och normer.

SI Mi, Numatic izjavljamo s polno odgovornostijo, da je zgoraj omenjeni izdelek v skladu z naslednjimi smernicami in standardi.

FI Me, Numatic täten vakuutamme omalla vastuulla, että edellä mainittu tuote on yhdenmukainen seuraavien direktiivien ja standardien mukaisesti

2006/42/EC	Machinery Directive	EN60335-1:2012 + AC:2014 + A11:2014	
		EN60335-2-69:2012	
		EN62233:2008	
2014/30/EU	EMC Directive	EN55014-1:2006 + A1:2009 + A2:2011	
		EN55014-2:1997 + A1:2001 + A2:2008	
		EN61000-3-2:2014	
		EN61000-3-3:2013	
2009/125/EC	Ecodesign Requirements for		
EU/666/2013	Vacuum Cleaners		
2011/65/EU	RoHS Directive		

Authorised Signatory: Mr. Allyn Boyes

Position: Development Manager

Numatic International Limited

Chard,

Somerset, TA20 2GB, UK

Signed:

Date: 21st Jan 2019

# Warranty

Numatic International Limited warrant to the original purchaser that its products are free of defects in both material or workmanship for the period shown below:-

Homecare and Cleancare Vacuum cleaners	
Rotary Floor Machines	2 Years
Twintec Auto Scrubber Dryer	1 Year
Vario Ride-On Scrubber Dryer 1 Year / 150	0 hours
Mopping, Compacts, Combi and Servocare Products	1 Year
Individual Accessories and Spare Parts	Months

Note: This warranty expressly excludes consumable parts such as carbon brushes, floor brushes, mops, batteries etc, that are considered replaceable from time to time during the normal working life of the machine.

Using non Numatic dustbags can be detrimental to both machine performance and life and may invalidate the Warranty.

- A. The warranty period commences from the date the goods are purchased.
- B. All warranty claims must be processed through the Dealer from whom the equipment was purchased. The Dealer will co-operate with the purchaser throughout the warranty claims procedure and will arrange any necessary repairs using genuine Numatic parts.
- C. If the original Dealer is no longer able to fulfil his obligations please contact Numatic International Limited with full details of the claim and proof of purchase so that this may be processed without delay.
- D. Any warranty claim can only relate to the specific part that is proven to be at fault and for which a replacement will be supplied but cannot be extended to constitute a claim against the complete machine.
- E. Numatic International will supply the Dealer with any warranty parts required, subject to the claim being validated, after return of the faulty items in accordance with Numatic International Limited's General Conditions of Sale.
- F. Claims will not be accepted if they are the result of fair wear and tear, misuse or abuse of any kind.
- G. No replacement will be given unless the appropriate evidence of the validity of the claim has been provided to the satisfaction of Numatic International Limited.
- H. Numatic International Limited reserve the right to charge for any unnecessary work carried out as a result of an invalid claim.
- No variation to this warranty may be made or implied by any member of Numatic International Limited or its Dealers unless such variation is in writing and authorised by the Company

Numatic International Limited. Chard, Somerset, TA20 2GB Telephone: 01460 68600 Fax: 01460 68458

© Numatic International Limited



Distributed by:-



Numatic International Limited. Chard, Somerset TA20 2GB ENGLAND Tel.: 01460 68600 www.numatic.co.uk

Specification subject to change without prior notice www.numatic.co.uk © Numatic International Limited